

Jul 08, 17 15:19

1001.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1001.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1052.01
 Shot Y-COORD = 1101.10
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
2	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
3	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
4	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
5	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
6	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
7	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
8	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
9	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
10	1001	00	30	90.56	789.53	1010.76	1020.48	7	0.0000	24	0	0
11	1001	00	29	90.62	789.48	1009.83	1020.89	7	0.0000	24	0	0
12	1001	00	28	90.54	789.48	1008.99	1021.43	7	0.0000	24	0	0
13	1001	00	27	90.56	789.44	1008.22	1021.83	7	0.0000	24	0	0
14	1001	00	26	90.58	789.37	1007.26	1022.35	7	0.0000	24	0	0
15	1001	00	25	95.28	789.86	1005.26	1018.09	7	0.0000	24	0	0
16	1001	00	24	95.34	789.90	1006.10	1017.55	7	0.0000	24	0	0
17	1001	00	23	95.32	789.90	1006.98	1017.09	7	0.0000	24	0	0
18	1001	00	22	95.41	789.93	1007.81	1016.55	7	0.0000	24	0	0
19	1001	00	21	95.51	789.98	1008.65	1016.01	7	0.0000	24	0	0
20	1001	00	20	100.45	790.21	1006.44	1011.59	7	0.0000	24	0	0
21	1001	00	19	100.38	790.23	1005.57	1012.11	7	0.0000	24	0	0
22	1001	00	18	100.31	790.22	1004.69	1012.65	7	0.0000	24	0	0
23	1001	00	17	100.29	790.23	1003.86	1013.13	7	0.0000	24	0	0
24	1001	00	16	100.25	790.28	1003.02	1013.64	7	0.0000	24	0	0
25	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
26	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
27	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
28	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
29	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
30	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
31	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
32	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
33	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
34	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
35	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
36	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
37	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
38	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
39	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
40	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
41	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
42	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
43	1001	00	60	59.97	789.34	1024.66	1047.73	7	0.0000	24	0	0
44	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
45	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
46	1001	00	49	3.84	792.51	1050.61	1102.77	7	0.0000	24	0	0
47	1001	00	50	4.27	792.21	1049.78	1103.35	7	0.0000	24	0	0
48	1001	00	51	4.95	792.02	1048.83	1103.80	7	0.0000	24	0	0

Jul 08, 17 15:19

1001.txt

Page 2/2

49	1001	00	52	5.68	791.78	1047.91	1104.19	7	0.0000	24	0	0
50	1001	00	53	6.46	791.66	1047.15	1104.67	7	0.0000	24	0	0
51	1001	00	54	8.59	792.00	1049.66	1108.93	7	0.0000	24	0	0
52	1001	00	55	7.98	792.22	1050.65	1108.42	7	0.0000	24	0	0
53	1001	00	56	7.56	792.37	1051.45	1108.00	7	0.0000	24	0	0
54	1001	00	57	7.34	792.73	1052.27	1107.61	7	0.0000	24	0	0
55	1001	00	58	7.32	793.21	1053.11	1107.22	7	0.0000	24	0	0
56	1001	00	59	11.51	793.18	1055.34	1111.43	7	0.0000	24	0	0
57	1001	00	60	11.66	792.73	1054.53	1111.97	7	0.0000	24	0	0
58	1001	00	61	12.00	792.45	1053.84	1112.55	7	0.0000	24	0	0
59	1001	00	62	12.25	792.26	1053.00	1112.96	7	0.0000	24	0	0
60	1001	00	63	12.62	792.06	1052.10	1113.43	7	0.0000	24	0	0
61	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
62	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
63	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0
64	1001	00	00	1715.28	0.00	0.00	0.00	7	0.0000	24	0	0

Jul 08, 17 15:19

1002.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1002.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1047.40
 Shot Y-COORD = 1092.26
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
2	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
3	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
4	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
5	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
6	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
7	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
8	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
9	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
10	1002	10	30	80.59	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1002	10	29	80.66	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1002	10	28	80.58	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1002	10	27	80.60	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1002	10	26	80.62	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1002	10	25	85.31	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1002	10	24	85.37	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1002	10	23	85.35	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1002	10	22	85.44	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1002	10	21	85.54	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1002	10	20	90.48	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1002	10	19	90.41	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1002	10	18	90.35	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1002	10	17	90.32	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1002	10	16	90.29	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
26	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
27	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
28	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
29	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
30	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
31	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
32	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
33	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
34	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
35	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
36	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
37	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
38	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
39	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
40	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
41	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
42	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
43	1002	10	60	50.00	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
45	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
46	1002	10	49	11.43	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1002	10	50	11.70	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1002	10	51	11.93	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1002.txt

Page 2/2

49	1002	10	52	12.19	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1002	10	53	12.63	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1002	10	54	17.03	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1002	10	55	16.73	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1002	10	56	16.54	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1002	10	57	16.46	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1002	10	58	16.47	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1002	10	59	21.10	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1002	10	60	21.23	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1002	10	61	21.51	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1002	10	62	21.64	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1002	10	63	21.85	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
62	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
63	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0
64	1002	10	00	1706.79	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1003.txt

Page 1/2

 PARTIAL SEG Y HEADER DUMP

1003.seg

Length = 4000 samples Shot Elevation = 789.3
 Sample Interval = 0.00025 sec. Shot Depth = 0.0
 Delay Time = 0 msec. Up Hole Time = 0 msec
 Low Cut Filter = 10 Hz. Shot X-COORD = 1045.15
 High Cut Filter = 1000 Hz. Shot Y-COORD = 1087.78
 Line ID: Shot Date (year.moday) = 0.0000
 Shot Orientation: Shot Time (hr:min) = 00:00
 Azimuth= 0 Deg. Vertical=180 Deg. Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
2	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
3	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
4	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
5	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
6	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
7	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
8	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
9	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
10	1003	15	30	75.57	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1003	15	29	75.64	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1003	15	28	75.56	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1003	15	27	75.58	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1003	15	26	75.61	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1003	15	25	80.30	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1003	15	24	80.36	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1003	15	23	80.34	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1003	15	22	80.42	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1003	15	21	80.52	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1003	15	20	85.47	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1003	15	19	85.40	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1003	15	18	85.33	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1003	15	17	85.31	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1003	15	16	85.28	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
26	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
27	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
28	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
29	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
30	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
31	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
32	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
33	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
34	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
35	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
36	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
37	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
38	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
39	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
40	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
41	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
42	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
43	1003	15	60	44.98	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
45	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
46	1003	15	49	16.27	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1003	15	50	16.50	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1003	15	51	16.65	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1003.txt

Page 2/2

49	1003	15	52	16.83	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1003	15	53	17.17	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1003	15	54	21.79	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1003	15	55	21.56	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1003	15	56	21.40	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1003	15	57	21.35	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1003	15	58	21.36	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1003	15	59	26.04	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1003	15	60	26.16	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1003	15	61	26.44	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1003	15	62	26.54	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1003	15	63	26.71	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
62	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
63	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0
64	1003	15	00	1702.54	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1004.txt

Page 1/2

 PARTIAL SEG Y HEADER DUMP

1004.seg

Length = 4000 samples Shot Elevation = 789.3
 Sample Interval = 0.00025 sec. Shot Depth = 0.0
 Delay Time = 0 msec. Up Hole Time = 0 msec
 Low Cut Filter = 10 Hz. Shot X-COORD = 1052.01
 High Cut Filter = 1000 Hz. Shot Y-COORD = 1101.10
 Line ID: Shot Date (year.moday) = 0.0000
 Shot Orientation: Shot Time (hr:min) = 00:00
 Azimuth= 0 Deg. Vertical=180 Deg. Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
2	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
3	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
4	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
5	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
6	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
7	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
8	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
9	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
10	1004	00	30	90.56	789.53	1010.76	1020.48	9	0.0000	24	0	0
11	1004	00	29	90.62	789.48	1009.83	1020.89	9	0.0000	24	0	0
12	1004	00	28	90.54	789.48	1008.99	1021.43	9	0.0000	24	0	0
13	1004	00	27	90.56	789.44	1008.22	1021.83	9	0.0000	24	0	0
14	1004	00	26	90.58	789.37	1007.26	1022.35	9	0.0000	24	0	0
15	1004	00	25	95.28	789.86	1005.26	1018.09	9	0.0000	24	0	0
16	1004	00	24	95.34	789.90	1006.10	1017.55	9	0.0000	24	0	0
17	1004	00	23	95.32	789.90	1006.98	1017.09	9	0.0000	24	0	0
18	1004	00	22	95.41	789.93	1007.81	1016.55	9	0.0000	24	0	0
19	1004	00	21	95.51	789.98	1008.65	1016.01	9	0.0000	24	0	0
20	1004	00	20	100.45	790.21	1006.44	1011.59	9	0.0000	24	0	0
21	1004	00	19	100.38	790.23	1005.57	1012.11	9	0.0000	24	0	0
22	1004	00	18	100.31	790.22	1004.69	1012.65	9	0.0000	24	0	0
23	1004	00	17	100.29	790.23	1003.86	1013.13	9	0.0000	24	0	0
24	1004	00	16	100.25	790.28	1003.02	1013.64	9	0.0000	24	0	0
25	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
26	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
27	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
28	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
29	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
30	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
31	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
32	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
33	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
34	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
35	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
36	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
37	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
38	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
39	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
40	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
41	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
42	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
43	1004	00	60	59.97	789.34	1024.66	1047.73	9	0.0000	24	0	0
44	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
45	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
46	1004	00	49	3.84	792.51	1050.61	1102.77	9	0.0000	24	0	0
47	1004	00	50	4.27	792.21	1049.78	1103.35	9	0.0000	24	0	0
48	1004	00	51	4.95	792.02	1048.83	1103.80	9	0.0000	24	0	0

Jul 08, 17 15:19

1004.txt

Page 2/2

49	1004	00	52	5.68	791.78	1047.91	1104.19	9	0.0000	24	0	0
50	1004	00	53	6.46	791.66	1047.15	1104.67	9	0.0000	24	0	0
51	1004	00	54	8.59	792.00	1049.66	1108.93	9	0.0000	24	0	0
52	1004	00	55	7.98	792.22	1050.65	1108.42	9	0.0000	24	0	0
53	1004	00	56	7.56	792.37	1051.45	1108.00	9	0.0000	24	0	0
54	1004	00	57	7.34	792.73	1052.27	1107.61	9	0.0000	24	0	0
55	1004	00	58	7.32	793.21	1053.11	1107.22	9	0.0000	24	0	0
56	1004	00	59	11.51	793.18	1055.34	1111.43	9	0.0000	24	0	0
57	1004	00	60	11.66	792.73	1054.53	1111.97	9	0.0000	24	0	0
58	1004	00	61	12.00	792.45	1053.84	1112.55	9	0.0000	24	0	0
59	1004	00	62	12.25	792.26	1053.00	1112.96	9	0.0000	24	0	0
60	1004	00	63	12.62	792.06	1052.10	1113.43	9	0.0000	24	0	0
61	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
62	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
63	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0
64	1004	00	00	1715.28	0.00	0.00	0.00	9	0.0000	24	0	0

Jul 08, 17 15:19

1005.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1005.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1042.84
 Shot Y-COORD = 1083.35
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
2	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
3	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
4	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
5	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
6	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
7	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
8	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
9	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
10	1005	20	30	70.58	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1005	20	29	70.65	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1005	20	28	70.57	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1005	20	27	70.59	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1005	20	26	70.62	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1005	20	25	75.31	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1005	20	24	75.37	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1005	20	23	75.35	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1005	20	22	75.43	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1005	20	21	75.53	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1005	20	20	80.47	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1005	20	19	80.40	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1005	20	18	80.34	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1005	20	17	80.32	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1005	20	16	80.29	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
26	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
27	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
28	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
29	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
30	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
31	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
32	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
33	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
34	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
35	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
36	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
37	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
38	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
39	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
40	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
41	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
42	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
43	1005	20	60	39.99	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
45	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
46	1005	20	49	21.15	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1005	20	50	21.36	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1005	20	51	21.47	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1005.txt

Page 2/2

49	1005	20	52	21.59	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1005	20	53	21.88	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1005	20	54	26.61	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1005	20	55	26.42	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1005	20	56	26.29	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1005	20	57	26.25	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1005	20	58	26.27	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1005	20	59	30.97	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1005	20	60	31.10	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1005	20	61	31.36	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1005	20	62	31.44	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1005	20	63	31.59	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
62	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
63	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0
64	1005	20	00	1698.30	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1006.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1006.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1040.56
 Shot Y-COORD = 1078.89
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
2	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
3	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
4	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
5	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
6	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
7	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
8	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
9	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
10	1006	25	30	65.57	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1006	25	29	65.63	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1006	25	28	65.56	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1006	25	27	65.58	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1006	25	26	65.61	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1006	25	25	70.31	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1006	25	24	70.36	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1006	25	23	70.34	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1006	25	22	70.42	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1006	25	21	70.52	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1006	25	20	75.46	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1006	25	19	75.39	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1006	25	18	75.33	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1006	25	17	75.31	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1006	25	16	75.28	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
26	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
27	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
28	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
29	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
30	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
31	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
32	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
33	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
34	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
35	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
36	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
37	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
38	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
39	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
40	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
41	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
42	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
43	1006	25	60	34.98	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
45	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
46	1006	25	49	26.10	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1006	25	50	26.30	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1006	25	51	26.38	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1006.txt

Page 2/2

49	1006	25	52	26.47	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1006	25	53	26.72	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1006	25	54	31.50	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1006	25	55	31.34	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1006	25	56	31.24	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1006	25	57	31.21	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1006	25	58	31.23	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1006	25	59	35.95	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1006	25	60	36.07	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1006	25	61	36.32	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1006	25	62	36.39	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1006	25	63	36.52	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
62	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
63	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0
64	1006	25	00	1694.05	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1007.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1007.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1038.29
 Shot Y-COORD = 1074.45
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
2	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
3	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
4	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
5	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
6	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
7	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
8	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
9	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
10	1007	30	30	60.58	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1007	30	29	60.65	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1007	30	28	60.57	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1007	30	27	60.60	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1007	30	26	60.64	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1007	30	25	65.33	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1007	30	24	65.37	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1007	30	23	65.35	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1007	30	22	65.43	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1007	30	21	65.53	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1007	30	20	70.48	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1007	30	19	70.41	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1007	30	18	70.34	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1007	30	17	70.33	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1007	30	16	70.30	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
26	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
27	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
28	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
29	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
30	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
31	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
32	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
33	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
34	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
35	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
36	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
37	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
38	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
39	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
40	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
41	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
42	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
43	1007	30	60	29.99	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
45	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
46	1007	30	49	31.05	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1007	30	50	31.23	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1007	30	51	31.30	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1007.txt

Page 2/2

49	1007	30	52	31.36	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1007	30	53	31.58	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1007	30	54	36.41	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1007	30	55	36.26	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1007	30	56	36.17	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1007	30	57	36.15	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1007	30	58	36.17	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1007	30	59	40.90	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1007	30	60	41.02	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1007	30	61	41.27	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1007	30	62	41.33	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1007	30	63	41.44	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
62	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
63	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0
64	1007	30	00	1689.83	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1008.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1008.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1036.02
 Shot Y-COORD = 1069.97
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
2	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
3	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
4	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
5	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
6	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
7	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
8	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
9	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
10	1008	35	30	55.57	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1008	35	29	55.63	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1008	35	28	55.56	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1008	35	27	55.59	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1008	35	26	55.63	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1008	35	25	60.33	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1008	35	24	60.37	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1008	35	23	60.34	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1008	35	22	60.41	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1008	35	21	60.51	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1008	35	20	65.46	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1008	35	19	65.39	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1008	35	18	65.33	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1008	35	17	65.32	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1008	35	16	65.30	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
26	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
27	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
28	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
29	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
30	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
31	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
32	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
33	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
34	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
35	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
36	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
37	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
38	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
39	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
40	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
41	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
42	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
43	1008	35	60	24.98	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
45	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
46	1008	35	49	36.03	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1008	35	50	36.21	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1008	35	51	36.26	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1008.txt

Page 2/2

49	1008	35	52	36.31	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1008	35	53	36.51	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1008	35	54	41.36	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1008	35	55	41.23	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1008	35	56	41.15	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1008	35	57	41.14	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1008	35	58	41.16	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1008	35	59	45.90	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1008	35	60	46.01	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1008	35	61	46.26	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1008	35	62	46.31	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1008	35	63	46.41	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
62	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
63	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0
64	1008	35	00	1685.60	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1009.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1009.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1033.75
 Shot Y-COORD = 1065.54
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
2	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
3	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
4	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
5	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
6	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
7	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
8	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
9	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
10	1009	40	30	50.59	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1009	40	29	50.65	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1009	40	28	50.58	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1009	40	27	50.62	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1009	40	26	50.67	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1009	40	25	55.36	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1009	40	24	55.39	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1009	40	23	55.36	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1009	40	22	55.43	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1009	40	21	55.53	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1009	40	20	60.48	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1009	40	19	60.41	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1009	40	18	60.35	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1009	40	17	60.34	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1009	40	16	60.32	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
26	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
27	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
28	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
29	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
30	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
31	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
32	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
33	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
34	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
35	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
36	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
37	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
38	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
39	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
40	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
41	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
42	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
43	1009	40	60	20.00	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
45	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
46	1009	40	49	40.99	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1009	40	50	41.17	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1009	40	51	41.21	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1009.txt

Page 2/2

49	1009	40	52	41.24	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1009	40	53	41.43	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1009	40	54	46.29	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1009	40	55	46.18	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1009	40	56	46.11	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1009	40	57	46.09	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1009	40	58	46.12	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1009	40	59	50.86	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1009	40	60	50.98	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1009	40	61	51.22	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1009	40	62	51.26	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1009	40	63	51.35	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
62	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
63	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0
64	1009	40	00	1681.39	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1010.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1010.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1031.48
 Shot Y-COORD = 1061.08
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
2	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
3	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
4	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
5	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
6	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
7	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
8	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
9	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
10	1010	45	30	45.58	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1010	45	29	45.65	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1010	45	28	45.59	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1010	45	27	45.63	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1010	45	26	45.68	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1010	45	25	50.37	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1010	45	24	50.40	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1010	45	23	50.36	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1010	45	22	50.43	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1010	45	21	50.53	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1010	45	20	55.48	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1010	45	19	55.41	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1010	45	18	55.35	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1010	45	17	55.34	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1010	45	16	55.33	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
26	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
27	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
28	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
29	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
30	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
31	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
32	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
33	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
34	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
35	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
36	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
37	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
38	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
39	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
40	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
41	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
42	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
43	1010	45	60	14.99	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
45	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
46	1010	45	49	45.97	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1010	45	50	46.15	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1010	45	51	46.18	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1010.txt

Page 2/2

49	1010	45	52	46.20	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1010	45	53	46.38	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1010	45	54	51.25	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1010	45	55	51.15	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1010	45	56	51.09	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1010	45	57	51.08	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1010	45	58	51.10	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1010	45	59	55.84	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1010	45	60	55.96	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1010	45	61	56.20	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1010	45	62	56.24	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1010	45	63	56.32	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
62	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
63	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0
64	1010	45	00	1677.17	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1011.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1011.seg

Length = 4000 samples	Shot Elevation = 789.3
Sample Interval = 0.00025 sec.	Shot Depth = 0.0
Delay Time = 0 msec.	Up Hole Time = 0 msec
Low Cut Filter = 10 Hz.	Shot X-COORD = 1029.21
High Cut Filter = 1000 Hz.	Shot Y-COORD = 1057.22
Line ID:	Shot Date (year.moday) = 0.0000
Shot Orientation:	Shot Time (hr:min) = 00:00
Azimuth= 0 Deg. Vertical=180 Deg.	Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
2	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
3	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
4	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
5	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
6	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
7	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
8	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
9	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
10	1011	50	30	41.11	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1011	50	29	41.18	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1011	50	28	41.11	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1011	50	27	41.15	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1011	50	26	41.20	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1011	50	25	45.89	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1011	50	24	45.92	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1011	50	23	45.88	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1011	50	22	45.96	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1011	50	21	46.06	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1011	50	20	51.01	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1011	50	19	50.94	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1011	50	18	50.88	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1011	50	17	50.87	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1011	50	16	50.85	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
26	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
27	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
28	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
29	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
30	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
31	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
32	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
33	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
34	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
35	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
36	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
37	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
38	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
39	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
40	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
41	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
42	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
43	1011	50	60	10.53	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
45	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
46	1011	50	49	50.42	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1011	50	50	50.59	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1011	50	51	50.61	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1011.txt

Page 2/2

49	1011	50	52	50.61	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1011	50	53	50.78	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1011	50	54	55.67	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1011	50	55	55.58	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1011	50	56	55.52	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1011	50	57	55.52	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1011	50	58	55.55	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1011	50	59	60.30	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1011	50	60	60.41	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1011	50	61	60.65	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1011	50	62	60.67	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1011	50	63	60.75	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
62	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
63	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0
64	1011	50	00	1673.33	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1012.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1012.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1026.94
 Shot Y-COORD = 1052.18
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
2	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
3	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
4	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
5	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
6	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
7	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
8	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
9	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
10	1012	55	30	35.59	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1012	55	29	35.67	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1012	55	28	35.61	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1012	55	27	35.66	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1012	55	26	35.74	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1012	55	25	40.41	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1012	55	24	40.43	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1012	55	23	40.38	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1012	55	22	40.45	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1012	55	21	40.54	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1012	55	20	45.49	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1012	55	19	45.42	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1012	55	18	45.37	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1012	55	17	45.37	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1012	55	16	45.37	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
26	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
27	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
28	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
29	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
30	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
31	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
32	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
33	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
34	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
35	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
36	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
37	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
38	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
39	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
40	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
41	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
42	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
43	1012	55	60	5.00	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
45	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
46	1012	55	49	55.94	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1012	55	50	56.10	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1012	55	51	56.12	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1012.txt

Page 2/2

49	1012	55	52	56.13	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1012	55	53	56.29	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1012	55	54	61.18	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1012	55	55	61.10	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1012	55	56	61.04	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1012	55	57	61.04	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1012	55	58	61.06	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1012	55	59	65.81	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1012	55	60	65.93	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1012	55	61	66.16	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1012	55	62	66.19	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1012	55	63	66.26	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
62	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
63	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0
64	1012	55	00	1668.76	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1013.txt

Page 1/2

 PARTIAL SEG Y HEADER DUMP

1013.seg

Length = 4000 samples Shot Elevation = 789.3
 Sample Interval = 0.00025 sec. Shot Depth = 0.0
 Delay Time = 0 msec. Up Hole Time = 0 msec
 Low Cut Filter = 10 Hz. Shot X-COORD = 1024.66
 High Cut Filter = 1000 Hz. Shot Y-COORD = 1047.73
 Line ID: Shot Date (year.moday) = 0.0000
 Shot Orientation: Shot Time (hr:min) = 00:00
 Azimuth= 0 Deg. Vertical=180 Deg. Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
2	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
3	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
4	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
5	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
6	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
7	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
8	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
9	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
10	1013	60	30	30.59	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1013	60	29	30.66	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1013	60	28	30.61	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1013	60	27	30.68	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1013	60	26	30.77	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1013	60	25	35.43	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1013	60	24	35.44	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1013	60	23	35.38	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1013	60	22	35.44	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1013	60	21	35.54	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1013	60	20	40.49	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1013	60	19	40.42	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1013	60	18	40.37	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1013	60	17	40.38	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1013	60	16	40.39	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
26	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
27	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
28	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
29	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
30	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
31	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
32	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
33	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
34	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
35	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
36	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
37	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
38	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
39	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
40	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
41	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
42	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
43	1013	60	60	0.00	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
45	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
46	1013	60	49	60.93	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1013	60	50	61.10	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1013	60	51	61.11	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1013.txt

Page 2/2

49	1013	60	52	61.11	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1013	60	53	61.27	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1013	60	54	66.16	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1013	60	55	66.08	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1013	60	56	66.03	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1013	60	57	66.03	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1013	60	58	66.05	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1013	60	59	70.80	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1013	60	60	70.92	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1013	60	61	71.16	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1013	60	62	71.18	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1013	60	63	71.25	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
62	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
63	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0
64	1013	60	00	1664.55	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1014.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1014.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1022.40
 Shot Y-COORD = 1043.29
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
2	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
3	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
4	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
5	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
6	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
7	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
8	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
9	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
10	1014	65	30	25.60	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1014	65	29	25.68	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1014	65	28	25.64	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1014	65	27	25.72	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1014	65	26	25.83	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1014	65	25	30.48	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1014	65	24	30.47	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1014	65	23	30.40	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1014	65	22	30.46	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1014	65	21	30.55	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1014	65	20	35.50	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1014	65	19	35.44	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1014	65	18	35.39	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1014	65	17	35.41	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1014	65	16	35.43	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
26	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
27	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
28	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
29	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
30	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
31	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
32	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
33	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
34	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
35	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
36	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
37	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
38	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
39	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
40	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
41	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
42	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
43	1014	65	60	4.99	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
45	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
46	1014	65	49	65.91	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1014	65	50	66.07	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1014	65	51	66.09	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1014.txt

Page 2/2

49	1014	65	52	66.08	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1014	65	53	66.23	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1014	65	54	71.13	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1014	65	55	71.05	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1014	65	56	71.01	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1014	65	57	71.01	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1014	65	58	71.03	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1014	65	59	75.78	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1014	65	60	75.90	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1014	65	61	76.13	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1014	65	62	76.16	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1014	65	63	76.22	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
62	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
63	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0
64	1014	65	00	1660.36	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1015.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1015.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1019.22
 Shot Y-COORD = 1039.27
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
2	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
3	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
4	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
5	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
6	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
7	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
8	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
9	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
10	1015	70	30	20.61	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1015	70	29	20.64	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1015	70	28	20.57	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1015	70	27	20.62	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1015	70	26	20.72	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1015	70	25	25.38	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1015	70	24	25.39	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1015	70	23	25.35	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1015	70	22	25.43	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1015	70	21	25.56	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1015	70	20	30.51	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1015	70	19	30.41	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1015	70	18	30.34	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1015	70	17	30.33	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1015	70	16	30.34	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
26	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
27	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
28	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
29	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
30	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
31	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
32	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
33	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
34	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
35	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
36	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
37	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
38	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
39	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
40	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
41	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
42	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
43	1015	70	60	10.05	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
45	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
46	1015	70	49	70.90	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1015	70	50	71.05	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1015	70	51	71.04	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1015.txt

Page 2/2

49	1015	70	52	71.02	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1015	70	53	71.15	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1015	70	54	76.06	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1015	70	55	76.01	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1015	70	56	75.97	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1015	70	57	75.99	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1015	70	58	76.02	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1015	70	59	80.78	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1015	70	60	80.88	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1015	70	61	81.10	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1015	70	62	81.11	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1015	70	63	81.16	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
62	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
63	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0
64	1015	70	00	1655.88	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1016.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1016.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1016.95
 Shot Y-COORD = 1034.82
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
2	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
3	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
4	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
5	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
6	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
7	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
8	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
9	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
10	1016	75	30	15.61	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1016	75	29	15.64	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1016	75	28	15.57	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1016	75	27	15.65	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1016	75	26	15.79	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1016	75	25	20.42	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1016	75	24	20.40	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1016	75	23	20.35	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1016	75	22	20.43	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1016	75	21	20.57	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1016	75	20	25.51	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1016	75	19	25.41	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1016	75	18	25.34	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1016	75	17	25.34	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1016	75	16	25.36	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
26	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
27	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
28	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
29	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
30	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
31	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
32	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
33	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
34	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
35	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
36	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
37	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
38	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
39	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
40	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
41	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
42	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
43	1016	75	60	15.04	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
45	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
46	1016	75	49	75.90	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1016	75	50	76.05	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1016	75	51	76.04	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1016.txt

Page 2/2

49	1016	75	52	76.01	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1016	75	53	76.14	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1016	75	54	81.05	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1016	75	55	81.00	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1016	75	56	80.97	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1016	75	57	80.98	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1016	75	58	81.02	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1016	75	59	85.78	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1016	75	60	85.88	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1016	75	61	86.10	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1016	75	62	86.11	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1016	75	63	86.15	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
62	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
63	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0
64	1016	75	00	1651.69	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1017.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1017.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1014.67
 Shot Y-COORD = 1030.37
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
2	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
3	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
4	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
5	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
6	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
7	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
8	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
9	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
10	1017	80	30	10.64	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1017	80	29	10.65	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1017	80	28	10.59	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1017	80	27	10.70	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1017	80	26	10.92	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1017	80	25	15.49	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1017	80	24	15.43	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1017	80	23	15.36	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1017	80	22	15.44	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1017	80	21	15.59	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1017	80	20	20.53	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1017	80	19	20.42	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1017	80	18	20.36	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1017	80	17	20.37	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1017	80	16	20.41	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
26	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
27	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
28	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
29	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
30	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
31	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
32	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
33	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
34	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
35	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
36	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
37	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
38	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
39	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
40	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
41	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
42	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
43	1017	80	60	20.03	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
45	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
46	1017	80	49	80.89	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1017	80	50	81.03	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1017	80	51	81.02	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1017.txt

Page 2/2

49	1017	80	52	81.00	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1017	80	53	81.12	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1017	80	54	86.04	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1017	80	55	85.99	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1017	80	56	85.96	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1017	80	57	85.97	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1017	80	58	86.01	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1017	80	59	90.77	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1017	80	60	90.87	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1017	80	61	91.09	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1017	80	62	91.10	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1017	80	63	91.14	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
62	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
63	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0
64	1017	80	00	1647.50	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1018.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1018.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.2
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1013.15
 Shot Y-COORD = 1025.13
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
2	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
3	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
4	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
5	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
6	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
7	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
8	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
9	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
10	1018	85	30	5.24	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1018	85	29	5.39	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1018	85	28	5.57	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1018	85	27	5.94	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1018	85	26	6.51	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1018	85	25	10.60	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1018	85	24	10.38	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1018	85	23	10.16	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1018	85	22	10.13	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1018	85	21	10.20	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1018	85	20	15.15	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1018	85	19	15.10	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1018	85	18	15.11	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1018	85	17	15.21	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1018	85	16	15.36	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
26	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
27	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
28	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
29	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
30	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
31	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
32	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
33	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
34	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
35	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
36	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
37	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
38	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
39	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
40	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
41	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
42	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
43	1018	85	60	25.36	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
45	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
46	1018	85	49	86.27	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1018	85	50	86.42	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1018	85	51	86.42	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1018.txt

Page 2/2

49	1018	85	52	86.40	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1018	85	53	86.54	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1018	85	54	91.45	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1018	85	55	91.39	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1018	85	56	91.35	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1018	85	57	91.36	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1018	85	58	91.39	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1018	85	59	96.14	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1018	85	60	96.26	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1018	85	61	96.48	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1018	85	62	96.50	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1018	85	63	96.55	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
62	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
63	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0
64	1018	85	00	1643.22	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1019.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1019.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.2
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1011.33
 Shot Y-COORD = 1020.87
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
2	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
3	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
4	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
5	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
6	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
7	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
8	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
9	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
10	1019	90	30	0.76	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1019	90	29	1.53	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1019	90	28	2.42	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1019	90	27	3.27	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1019	90	26	4.33	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1019	90	25	6.71	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1019	90	24	6.23	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1019	90	23	5.81	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1019	90	22	5.62	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1019	90	21	5.60	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1019	90	20	10.54	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1019	90	19	10.53	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1019	90	18	10.61	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1019	90	17	10.80	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1019	90	16	11.07	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
26	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
27	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
28	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
29	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
30	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
31	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
32	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
33	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
34	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
35	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
36	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
37	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
38	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
39	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
40	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
41	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
42	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
43	1019	90	60	29.99	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
45	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
46	1019	90	49	90.89	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1019	90	50	91.05	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1019	90	51	91.05	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1019.txt

Page 2/2

49	1019	90	52	91.04	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1019	90	53	91.17	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1019	90	54	96.08	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1019	90	55	96.02	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1019	90	56	95.98	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1019	90	57	95.98	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1019	90	58	96.01	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1019	90	59	100.76	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1019	90	60	100.88	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1019	90	61	101.11	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1019	90	62	101.13	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1019	90	63	101.18	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
62	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
63	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0
64	1019	90	00	1639.46	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1020.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1020.seg

Length = 4000 samples
 Sample Interval = 0.00025 sec.
 Delay Time = 0 msec.
 Low Cut Filter = 10 Hz.
 High Cut Filter = 1000 Hz.
 Line ID:
 Shot Orientation:
 Azimuth= 0 Deg. Vertical=180 Deg.

Shot Elevation = 789.3
 Shot Depth = 0.0
 Up Hole Time = 0 msec
 Shot X-COORD = 1009.19
 Shot Y-COORD = 1016.36
 Shot Date (year.moday) = 0.0000
 Shot Time (hr:min) = 00:00
 Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
2	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
3	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
4	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
5	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
6	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
7	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
8	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
9	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
10	1020	95	30	4.42	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1020	95	29	4.58	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1020	95	28	5.08	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1020	95	27	5.56	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1020	95	26	6.30	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1020	95	25	4.33	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1020	95	24	3.36	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1020	95	23	2.40	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1020	95	22	1.52	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1020	95	21	0.91	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1020	95	20	5.58	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1020	95	19	5.65	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1020	95	18	5.90	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1020	95	17	6.30	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1020	95	16	6.81	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
26	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
27	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
28	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
29	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
30	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
31	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
32	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
33	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
34	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
35	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
36	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
37	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
38	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
39	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
40	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
41	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
42	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
43	1020	95	60	34.98	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
45	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
46	1020	95	49	95.88	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1020	95	50	96.04	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1020	95	51	96.04	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1020.txt

Page 2/2

49	1020	95	52	96.02	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1020	95	53	96.16	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1020	95	54	101.07	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1020	95	55	101.01	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1020	95	56	100.97	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1020	95	57	100.97	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1020	95	58	100.99	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1020	95	59	105.75	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1020	95	60	105.87	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1020	95	61	106.10	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1020	95	62	106.11	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1020	95	63	106.16	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
62	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
63	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0
64	1020	95	00	1635.39	0.00	0.00	0.00	1	0.0000	24	0	0

Jul 08, 17 15:19

1021.txt

Page 1/2

PARTIAL SEG Y HEADER DUMP

1021.seg

Length = 4000 samples	Shot Elevation = 789.9
Sample Interval = 0.00025 sec.	Shot Depth = 0.0
Delay Time = 0 msec.	Up Hole Time = 0 msec
Low Cut Filter = 10 Hz.	Shot X-COORD = 1006.80
High Cut Filter = 1000 Hz.	Shot Y-COORD = 1012.04
Line ID:	Shot Date (year.moday) = 0.0000
Shot Orientation:	Shot Time (hr:min) = 00:00
Azimuth= 0 Deg. Vertical=180 Deg.	Charge Size (grams)= 0

TRACE #	SHOT REC.	STATION		OFFSET	RECEIVER			VERT FOLD	1STBRK (SEC.)	K-GAIN (dB)	AZI	VER
		SHOT	REC		ELEV.	X-COORD	Y-COORD					
1	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
2	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
3	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
4	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
5	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
6	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
7	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
8	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
9	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
10	1021	100	30	9.33	789.53	1010.76	1020.48	1	0.0000	24	0	0
11	1021	100	29	9.37	789.48	1009.83	1020.89	1	0.0000	24	0	0
12	1021	100	28	9.65	789.48	1008.99	1021.43	1	0.0000	24	0	0
13	1021	100	27	9.91	789.44	1008.22	1021.83	1	0.0000	24	0	0
14	1021	100	26	10.33	789.37	1007.26	1022.35	1	0.0000	24	0	0
15	1021	100	25	6.24	789.86	1005.26	1018.09	1	0.0000	24	0	0
16	1021	100	24	5.55	789.90	1006.10	1017.55	1	0.0000	24	0	0
17	1021	100	23	5.06	789.90	1006.98	1017.09	1	0.0000	24	0	0
18	1021	100	22	4.63	789.93	1007.81	1016.55	1	0.0000	24	0	0
19	1021	100	21	4.38	789.98	1008.65	1016.01	1	0.0000	24	0	0
20	1021	100	20	0.67	790.21	1006.44	1011.59	1	0.0000	24	0	0
21	1021	100	19	1.28	790.23	1005.57	1012.11	1	0.0000	24	0	0
22	1021	100	18	2.23	790.22	1004.69	1012.65	1	0.0000	24	0	0
23	1021	100	17	3.16	790.23	1003.86	1013.13	1	0.0000	24	0	0
24	1021	100	16	4.13	790.28	1003.02	1013.64	1	0.0000	24	0	0
25	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
26	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
27	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
28	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
29	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
30	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
31	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
32	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
33	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
34	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
35	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
36	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
37	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
38	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
39	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
40	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
41	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
42	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
43	1021	100	60	39.92	789.34	1024.66	1047.73	1	0.0000	24	0	0
44	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
45	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
46	1021	100	49	100.79	792.51	1050.61	1102.77	1	0.0000	24	0	0
47	1021	100	50	100.95	792.21	1049.78	1103.35	1	0.0000	24	0	0
48	1021	100	51	100.95	792.02	1048.83	1103.80	1	0.0000	24	0	0

Jul 08, 17 15:19

1021.txt

Page 2/2

49	1021	100	52	100.93	791.78	1047.91	1104.19	1	0.0000	24	0	0
50	1021	100	53	101.06	791.66	1047.15	1104.67	1	0.0000	24	0	0
51	1021	100	54	105.97	792.00	1049.66	1108.93	1	0.0000	24	0	0
52	1021	100	55	105.91	792.22	1050.65	1108.42	1	0.0000	24	0	0
53	1021	100	56	105.88	792.37	1051.45	1108.00	1	0.0000	24	0	0
54	1021	100	57	105.88	792.73	1052.27	1107.61	1	0.0000	24	0	0
55	1021	100	58	105.90	793.21	1053.11	1107.22	1	0.0000	24	0	0
56	1021	100	59	110.66	793.18	1055.34	1111.43	1	0.0000	24	0	0
57	1021	100	60	110.78	792.73	1054.53	1111.97	1	0.0000	24	0	0
58	1021	100	61	111.01	792.45	1053.84	1112.55	1	0.0000	24	0	0
59	1021	100	62	111.02	792.26	1053.00	1112.96	1	0.0000	24	0	0
60	1021	100	63	111.07	792.06	1052.10	1113.43	1	0.0000	24	0	0
61	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
62	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
63	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0
64	1021	100	00	1631.49	0.00	0.00	0.00	1	0.0000	24	0	0